



Domed Top Round 114 Diameter - Fixed & Removable Bollard

Ex. VAT: £162.23 **TOTAL**
Inc. VAT: £194.68

*Base price, not including any custom options.

Product Images





Description

Domed top bollards in round mild steel tube. The bollards can be used to protect buildings, shutter doors etc. from accidental/deliberate vehicle impact. Ragged bollards are manufactured with ground fixing spikes to facilitate firm ground anchorage. Tubular bollards have a slightly domed welded steel cap. Supplied galvanised as standard, colour coated finishes are available to order. Bollard can be supplied with flanges for bolting down or as removable option with ground socket.

Specification

- Galvanised finish is standard
- Ragged ends as standard
- Removable versions available
- 1400mm overall length as standard
- Wall thickness 3.6m
- Diameter 114mm

Installation

Fixed versions – cast in to concrete to minimum 400mm deep by 300mm square, depending on ground conditions.

Removables – Cast socket in to concrete approx 267mm deep by 300mm square, allowing for drainage from bottom of excavated socket hole. 150mm -165mm diameter cast in 400mm deep minimum by 300mm square minimum.

Delivery Details

Typical delivery time: 10 - 15 working days

Additional Information

Best Sellers M2	No
-----------------	----

Additional Options

Bollard Options	Fixed galvanised, no hand painted RAL colour	£0.00
	Bolt down galvanised, no hand painted RAL colour (includes 4 bolts)	£9.74
	Removable galvanised, no hand painted RAL colour	£72.42
	Fixed galvanised and hand painted RAL	£23.03
	Bolt down galvanised and hand painted RAL (includes 4 bolts)	£37.77
	Removable galvanised and hand painted RAL	£112.99

