



The SS Swing Gate

Ex. VAT: £698.00 **TOTAL**
Inc. VAT: £837.60

*Base price, not including any custom options.

Product Images



Description

Specification

- Galvanised steel construction.
- Painted red as standard.
- White/red class 2 reflectors.
- Boom length up to 6.0m, 60x60x3mm steel, 996mm to underside of boom.
- Lockable by padlock (available extra).
- Additional catch post is required to lock gate in "open" position.
- Steel pivot post 120x120x5mm thick.
- Catch post of 90 x 50 x 3mm thick.
- Catch post adjustable to ±70mm
- Also available with ragged ends for casting into ground.
- The gate can be secured with the minimum of user intervention due to the spring loaded Self Latching mechanism.
- Padlocks can be used to secure the gate in the open or closed position (recommended).
- Adjustable hinges allow on-site adjustment to ensure that the gate and catch post are correctly aligned.
- The catch post has a reduced height making the release mechanism of the gate easier and reduces the risk of trapped fingers.
- Added safety features include:- Skirt height of 550mm (approx car bumper height).
- Double gates are also available with central locking or double removable catch post.

Delivery time

- Typically 2 weeks.

Additional Information

Best Sellers M2	No
-----------------	----

Additional Options

Swing Gate Sizes	3m	£0.00
	4m	£55.00
	5m	£110.00
	6m	£165.00
Optional Extras	Additional Fixed Catch Post	£141.90
	Removable Catch Post	£262.90

